

NOW INCLUDING **NEW!**
PARKRAY GAS RANGE

PARKRAY 



you're home.



hunterstoves
GROUP



Shake off the cold and relax in the welcoming warmth of a Parkray stove. From slimline, space-conscious solutions, to powerful stoves perfect for open-plan living, a Parkray fire can warm up any space. Featuring both traditional and contemporary designs, we have a stove to suit every setting.

You can relax knowing your stove is running at a standard which aims to improve air quality and reduce emissions. With easy control and Tripleburn® technology for eco-friendly, efficient burning, our Aspect stoves produce up to 7 times less smoke than required under the current Eco Design 2022 standards. Look out for the Eco Design 2022 and SIA logos for stoves which ensure a cleaner environment and peace of mind while you keep cosy.

Find the Parkray stove which offers the ideal solution to heat your home, today.

| | |
|-----------------------------|---------|
| WARRANTY | 3 |
| NEW! PARKRAY GAS RANGE | 4 - 11 |
| ASPECT 4 RANGE | 12 -13 |
| ASPECT 5 RANGE | 14 - 15 |
| ASPECT 6 | 16 - 17 |
| ASPECT 7 | 18 - 19 |
| ASPECT 8 RANGE | 20 - 21 |
| ASPECT 14 RANGE | 22 - 23 |
| ASPECT 80B | 24 - 25 |
| ASPECT DOUBLE-SIDED RANGE | 26 - 29 |
| CONSORT 4 RANGE | 30 - 31 |
| CONSORT 5 RANGE | 32 - 35 |
| CONSORT 9 RANGE | 36 - 39 |
| CONSORT 15 RANGE | 40 - 41 |
| CONSORT DOUBLE- SIDED RANGE | 42 - 49 |
| CHEVIN INSET RANGE | 50 - 53 |
| OPTIONS AND FEATURES | 54 - 63 |
| PARKRAY TRIPLEBURN® | 64 - 65 |
| DIMENSIONS | 66 - 70 |
| FIREPLACES | 71 |



ASPECT 5 / STAINLESS STEEL HANDLE



WILLOW MEMBER

We are proud to be a Willow member of the Woodland Trust, the UK's leading woodland conservation charity. Our funding is helping to create, protect and restore native woodland across the UK.

Help us to restore thousands of hectares of damaged ancient woodland with landowners across the UK and in our own woods, for the benefit of wildlife.

woodlandtrust.org.uk 01475 581111



10 year warranty*

ALL PARKRAY AUTHORISED DEALERS PROVIDE YOU WITH AN EXTENDED 10 YEAR WARRANTY

*5 year on gas/boiler stoves. For full warranty specifications, terms and a list of authorised stockists, please visit www.hunterstoves.co.uk.

PARKRAY GAS RANGE

5 YEAR GAS WARRANTY


Naturally effortless,
a Parkray gas
stove provides an
exquisite focal point
in any home.

WITH A MIX OF CONTEMPORARY
AND TRADITIONAL GAS STOVES,
THE PARKRAY GAS RANGE OFFERS
SOMETHING FOR ALL TYPES OF HOMES.

Our Aspect and Consort gas models beautifully
combine elegant aesthetics with advanced gas fire
technology.



CONSORT 7 GAS / TRADITIONAL HANDLE / SINGLE DOOR



aspect 7G

gas

PARKRAY CONTEMPORARY RANGE



WITH A FLAME PICTURE THAT'S EQUALLY AS IMPRESSIVE AS THAT OF ITS WOOD BURNING COUNTERPART, THE ASPECT 7 GAS STOVE WILL ADD AN ELEGANT CENTREPIECE TO YOUR HOME.

A beautiful combination of stylish aesthetics and innovative gas fire technology, the Aspect 7 Gas is perfect for heating family spaces. With a choice between a log or coal effect and black or stainless-steel handle, you can tailor this model to suit your interior.

- REALISTIC LOG OR COAL EFFECT
- DIGITAL DISPLAY REMOTE CONTROL
- NATURAL GAS OR LPG
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS-STEEL




HEAT INPUT 6.5kW

HEAT OUTPUT* 4.4kW

ENERGY EFFICIENCY CLASS **E**

* based on natural gas.



CONSORT 5G

gas

PARKRAY TRADITIONAL RANGE



THE CONSORT 5 GAS MODEL IS A SMALL STOVE WITH A LOT OF WARMTH TO GIVE.

Bringing all the traditional charm of the Consort range, this compact gas stove allows installation in a smaller fireplace, yet still offers a toasty heat output. Enjoy a wonderfully natural flame picture and a log bed that is exceptionally realistic, with the peace of mind that your stove is fitted with the highest standard of safety features.



* NATURAL GAS
* SINGLE DOOR

- REALISTIC LOG EFFECT
- DIGITAL DISPLAY REMOTE CONTROL
- FLAT TOP
- NATURAL GAS OR LPG
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL

HEAT INPUT 4.7kW

HEAT OUTPUT* 3.0kW

ENERGY EFFICIENCY CLASS **E**

* based on natural gas.



CONSORT 7G

gas

PARKRAY TRADITIONAL RANGE



FULL OF TRADITIONAL CHARM, THE CONSORT 7 GAS RANGE PROVIDES A SPLENDID BACKDROP FOR TREASURED FAMILY TIME.

The Consort 7 Gas combines a timeless design with forward-thinking gas technology to create an enchanting focal point for your home. With a digital-display remote control for added convenience, you can simply sit back and enjoy the view.



SINGLE DOOR DOUBLE DOOR


- REALISTIC LOG OR COAL EFFECT
- DIGITAL DISPLAY REMOTE CONTROL
- NATURAL GAS OR LPG
- TRADITIONAL BLACK HANDLE CONTROL

HEAT INPUT 6.5kW

HEAT OUTPUT* 4.4kW

ENERGY EFFICIENCY CLASS **E**


* based on natural gas.



aspect 4

range

PARKRAY CONTEMPORARY RANGE



THE ASPECT 4 AND ASPECT 4 COMPACT ARE THE SMALLEST OF THE ASPECT COLLECTION, BUT THEY REALLY KICK OUT SOME HEAT.

With a heat output range of 3-5.5kW, Smoke Control Exemption and a very high efficiency, these stoves may be small but ensure a beautiful view of the flames through their large viewing window.



- 4 X LESS SMOKE
- SMOKE CONTROL EXEMPT
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- GRATE KIT OPTION
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL

ASPECT 4 COMPACT

HEAT OUTPUT: 3kW TO 5kW

NOMINAL: 4.5kW

ENERGY EFFICIENCY CLASS: **A+**

ASPECT 4

HEAT OUTPUT: 3.5kW TO 5.5kW

NOMINAL: 4.5kW

ENERGY EFFICIENCY CLASS: **A+**

ASPECT 4 COMPACT / BLACK CHROME HANDLE




aspect 5

range

PARKRAY CONTEMPORARY RANGE



ASPECT 5 GRATE KIT ON SHORT PLINTH / STAINLESS STEEL HANDLE



HIGHLY CONTROLLABLE, THE ASPECT 5 SERIES CAN CHANGE FROM A HIGH TO LOW OUTPUT IN A MATTER OF SECONDS.

Even with their generous maximum outputs, these stoves have impressively low CO emissions, which means you can keep warm whilst being environmentally friendly.



- 4 X LESS SMOKE
- SMOKE CONTROL EXEMPT
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- GRATE KIT OPTION
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL



HEAT OUTPUT 4kW TO 6kW

NOMINAL 5kW

ASPECT 5 COMPACT

ENERGY EFFICIENCY CLASS **A**



HEAT OUTPUT 4kW TO 7kW

NOMINAL 5kW

ASPECT 5

ENERGY EFFICIENCY CLASS **A**

European Community Design Registration Number 003744416



aspect 6

PARKRAY CONTEMPORARY RANGE




THE ASPECT 6 OFFERS A TRULY MESMERISING VIEW OF THE FLAMES, MAKING AN ALLURING CENTREPIECE IN ANY ROOM.

Combining looks, controllability and high efficiency, the Aspect 6 is an excellent addition to any home. This stove boasts our famous Tripleburn® technology and offers a generous output of up to 7.5kW, making it an impressive all-rounder.



- 4 X LESS SMOKE
- SMOKE CONTROL EXEMPT
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- GRATE KIT OPTION
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL



ASPECT 6 / STAINLESS STEEL HANDLE

aspect 7

PARKRAY CONTEMPORARY RANGE

CURL UP IN FRONT OF THE LARGE LANDSCAPE WINDOW OF THE ASPECT 7 AND RELAX TO THE PICTURESQUE VIEW OF THE FLAMES.

With clean lines, an elegant finish and a truly impressive output, the Aspect 7 will make a great addition to your living space. As with all the stoves in the Aspect range, the Aspect 7 comes with the choice of two different handles, helping it integrate beautifully into your home, whatever the interior.




- 2 X LESS SMOKE
- SMOKE CONTROL EXEMPT
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE LANDSCAPE VIEWING WINDOW
- GRATE KIT OPTION
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL



HEAT OUTPUT 4kW TO 7.5kW

NOMINAL 5kW

ENERGY EFFICIENCY CLASS A+



aspect 8

range

PARKRAY CONTEMPORARY RANGE



THE ASPECT 8 HAS SOMETHING TO SUIT ANY SPACE, WITH A POWERFUL STANDARD AND BOILER MODEL AVAILABLE, YOU'LL ALWAYS GET A WARM WELCOME.

These convection stoves with special trapezoid design effortlessly combine science and style, keeping the whole family toasty when the nights draw in. All Aspect 8 models boast a glorious flame picture, as well as reduced clearance distances to combustible materials, making them ideal for transforming small openings.




- 3 X LES SMOKE (NOT BOILER)
- SMOKE CONTROL EXEMPT*
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- CONVECTION STOVES*
- GRATE KIT OPTION (ROOM HEATER ONLY)
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL

* Except Boiler Stove.




ASPECT 8



WRAP-AROUND BOILER

6 RADIATORS*



* Number of radiators is dependent on size.

ASPECT 8 / BLACK CHROME HANDLE

aspect 14

PARKRAY CONTEMPORARY RANGE



BRING YOUR HOME ALIVE WITH THE GLOW OF THE ASPECT 14 ROOM HEATER AND ITS TOASTY OUTPUT OF UP TO 15KW. A BOILER VERSION IS ALSO AVAILABLE.

Great for heating larger family rooms, the Aspect 14 offers all the ambiance of a real fire, along with powerful Tripleburn® technology. This contemporary stove burns beautifully, and comes with two handle options to suit any interior.



- 7 X LESS SMOKE (NOT BOILER)
- SMOKE CONTROL EXEMPT
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL

- Except Boiler Stove.



| | |
|-------------------------|-------------|
| HEAT OUTPUT | 8kW TO 15kW |
| NOMINAL | 7.8kW |
| ENERGY EFFICIENCY CLASS | A |

WRAP-AROUND BOILER

8 RADIATORS*



ENERGY EFFICIENCY CLASS A

| | |
|-----------------------------|---------------|
| NOMINAL OUTPUT BURNING WOOD | 5.2kW to room |
| 7.0kW to water | |
| MAXIMUM OUTPUT | 6.0kW to room |
| 10kW (34,121 BTU) to water | |

* Number of radiators is dependent on size.

aspect 80B

PARKRAY CONTEMPORARY RANGE



NOT ONLY DOES THE ASPECT 80B MAKE A MAGNIFICENT CENTREPIECE, BUT IT CAN WARM YOUR ENTIRE HOUSE WITH ITS BOILER SYSTEM.

You can curl up in front of the unbeatable view of the Aspect 80B, safe in the knowledge that your fire is running up to 18 radiators and your hot water. You'll be feeling toasty in no time, so simply sit back and relax as warmth caresses every corner of your home.

- BOILER STOVE
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL




ENERGY EFFICIENCY CLASS **A**



THERMOSTATIC CONTROL

WRAP-AROUND BOILER

16-18 RADIATORS*



NOMINAL OUTPUT BURNING WOOD
11.3kW to water 5.2kW to room

MAXIMUM OUTPUT
16kW (54,600BTU) to water 8kW to room

* Number of radiators is dependent on size.

aspect 4

double-sided single depth

PARKRAY CONTEMPORARY RANGE



PERFECT FOR CONTEMPORARY OPEN-PLAN LIVING, AN ASPECT DOUBLE-SIDED SINGLE DEPTH STOVE OFFERS BOTH ELEGANCE AND INNOVATION.

This family favourite effortlessly combines technology and character to create an enviable stove that will transform an open-plan living area. A single depth stove radiates heat more effectively through your living space, keeping you snug in the winter months.


- SMOKE CONTROL EXEMPT
- DOUBLE-SIDED STOVE
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- GRATE KIT OPTION
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL



HEAT OUTPUT 4kW TO 6kW

NOMINAL 4.9kW

ENERGY EFFICIENCY CLASS A



aspect 4

double-sided double depth


PARKRAY CONTEMPORARY RANGE



AN ASPECT DOUBLE-SIDED DOUBLE DEPTH STOVE WILL BRING ANY LARGE, OPEN-PLAN SPACE TO LIFE WITH ITS ROARING OUTPUT AND STRIKING GLOW.

A great option for an open fireplace, an Aspect 4 Double-Sided Double Depth stove will warm family spaces with ease thanks to its powerful Tripleburn® technology and generous output of up to 11kW. Offering high controllability with airflow controls on both sides and Smoke Control Exempt approval, this double-double Aspect stove is a force to be reckoned with.

- SMOKE CONTROL EXEMPT
- DOUBLE-SIDED STOVE
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- GRATE KIT OPTION
- HANDLE OPTIONS: BLACK CHROME AND STAINLESS STEEL



ASPECT 4 DOUBLE-SIDED DOUBLE DEPTH / STAINLESS STEEL HANDLE

CONSORT 4

PARKRAY TRADITIONAL RANGE



SMALL CAN BE POWERFUL! THE CONSORT 4 IS A SMART, COMPACT STOVE THAT DELIVERS AN IMPRESSIVE HEAT OUTPUT OF UP TO 5.5kW.

For such a small model, this is a remarkable output. Simple to fit (no air brick required) and easy to operate, it's a modern classic. Even though it's less than 40cm wide, the Consort 4 will heat any standard size room. Able to utilise either solid fuel or wood, the Consort 4 will give you years of warmth and enjoyment.



GRATE OPTION · WOOD

- SMOKE CONTROL EXEMPT (GRATE OPTION ONLY)
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- CAN BE FITTED ON A 12MM HEARTH (GRATE OPTION ONLY)
- WOOD OPTION

HEAT OUTPUT 3kW TO 5.5kW

NOMINAL 4.7kW

ENERGY EFFICIENCY CLASS A

CONSORT 4 / GRATE OPTION



CONSORT 5

range

PARKRAY TRADITIONAL RANGE

Remarkably
efficient with an
impressive output.

THIS RANGE PACKS THE BEST FEATURES INTO A COLLECTION OF TRADITIONAL LOOKING STOVES.

All Consort 5 models feature 5" flue collars, Tripleburn® technology and our Hot Airwash System in a size that suits your home.

CONSORT 5 *range*



CONSORT 5 COMPACT

THE CONSORT 5 COMPACT HAS ALL THE EFFICIENCY OF THE STANDARD CONSORT 5, JUST IN A SLIGHTLY SMALLER UNIT.

Thanks to its technology, the Consort 5 Compact offers an efficient performance in a small package. Slightly larger than the Consort 4, the Consort 5 Compact is a versatile burner with a generous output of 3.5 - 5.5kW. It's one of our best performing models, with an efficiency of 76%.



GRATE OPTION WOOD

- SMOKE CONTROL EXEMPT (GRATE OPTION ONLY)
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- CAN BE FITTED ON A 12MM HEARTH (GRATE OPTION ONLY)
- WOOD OPTION AVAILABLE

HEAT OUTPUT **3.5kW TO 5.5kW**

NOMINAL **4.7kW**

ENERGY EFFICIENCY CLASS **A**



CONSORT 5

IF YOU ARE LOOKING FOR A LITTLE MORE HEAT FOR A SLIGHTLY BIGGER ROOM, THE CONSORT 5 HAS A STRIKINGLY IMPRESSIVE OUTPUT.

Independent tests have certified an amazing efficiency of 78%. This not only means a better return for every log you use, but also that it is exempt from Smoke Control regulations. With its traditional, homely feel, the Consort 5 is, hardly surprisingly, one of our most popular models.



GRATE OPTION WOOD

- SMOKE CONTROL EXEMPT (GRATE OPTION ONLY)
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- CAN BE FITTED ON A 12MM HEARTH (GRATE OPTION ONLY)
- WOOD OPTION AVAILABLE

HEAT OUTPUT **3.5kW TO 6kW**

NOMINAL **4kW**

ENERGY EFFICIENCY CLASS **A**



CONSORT 5 SLIMLINE

IF YOU ARE LIMITED FOR SPACE OR WANT TO FIT A STOVE IN AN AWKWARD SPOT, THE CONSORT 5 SLIMLINE COULD BE AN IMAGINATIVE SOLUTION.

It is a slightly wider and slimmer model, able to provide all the heat and efficiency that you expect from the Consort range. The Slimline 5 is ideal within shallow contemporary fireplaces. The stove is approved for Smoke Controlled Areas.




GRATE OPTION DOUBLE DOOR GRATE OPTION SINGLE DOOR WOOD DOUBLE DOOR WOOD SINGLE DOOR

- SMOKE CONTROL EXEMPT (GRATE OPTION ONLY)
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- CAN BE FITTED ON A 12MM HEARTH (GRATE OPTION ONLY)
- WOOD OPTION AVAILABLE

HEAT OUTPUT **3.5kW TO 6kW**

NOMINAL **4.4kW**

ENERGY EFFICIENCY CLASS **A**



CONSORT 9

range

PARKRAY TRADITIONAL RANGE



A family-sized stove with a generous output to match.

THE CONSORT 9 AND 9 SLIMLINE HAVE IMPRESSIVE OUTPUTS AND ARE PERFECT FOR HEATING LARGER ROOMS.

The Consort 9 is even capable of heating your water with the addition of a wrap-around boiler.



CONSORT 9 *range*



CONSORT 9

THE CONSORT 9 HAS BEEN DESIGNED FOR EFFICIENT PERFORMANCE IN LARGER FAMILY ROOMS.

Running at an efficiency of 78.9%, the Consort 9 is an economical way to heat larger areas. It has been painstakingly designed to utilise our best-ever technology. With an output of up to 11kW, this is a well-equipped stove.



- GRATE OPTION
- DOUBLE DOOR
- GRATE OPTION
- SINGLE DOOR
- WOOD
- DOUBLE DOOR
- WOOD
- SINGLE DOOR

- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- BOILER OPTION
- LARGE VIEWING WINDOW
- LARGE OUTPUT RANGE
- WOOD OPTION AVAILABLE

HEAT OUTPUT **6kW TO 11kW**

NOMINAL **9kW**

ENERGY EFFICIENCY CLASS **A**

CONSORT 9 SLIMLINE

THE SLIMLINE 9 IS DESIGNED SPECIFICALLY TO FIT IN SHALLOW FIREPLACES, BUT WITHOUT COMPROMISING ON STYLE.

The wide bed can be stacked with plenty of wood for a long, efficient burn. Airflow controls allow you to manage a range of temperatures. The generous output of up to 8kW makes this model ideal for family spaces.



- GRATE OPTION
- DOUBLE DOOR
- GRATE OPTION
- SINGLE DOOR
- WOOD
- DOUBLE DOOR
- WOOD
- SINGLE DOOR

- SMOKE CONTROL EXEMPT (GRATE OPTION ONLY)
- NO AIR BRICK REQUIRED
- 5" FLUE COLLAR
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- CAN BE FITTED ON A 12MM HEARTH (GRATE OPTION ONLY)
- LARGE VIEWING WINDOW
- WOOD OPTION AVAILABLE

HEAT OUTPUT **4.5kW TO 8kW**

NOMINAL **4.9kW**

ENERGY EFFICIENCY CLASS **A**



BOILER OPTIONS

ASK OUR EXPERTS ABOUT THE CENTRAL HEATING MODELS AVAILABLE FOR THE CONSORT 9.

WRAP-AROUND BOILER

7 RADIATORS



NOMINAL OUTPUT BURNING WOOD
6.4kW to water **2.2kW to room**

NOMINAL OUTPUT BURNING SMOKELESS FUEL
6.3kW to water **1.7kW to room**

MAXIMUM OUTPUT
8.5kW (29,000BTU) to water **2.5kW to room**

ENERGY EFFICIENCY CLASS **A**



CONSORT 15

PARKRAY TRADITIONAL RANGE



DESPITE ITS ROARING BLAZE, THE CONSORT 15 HAS AN INDEPENDENTLY TESTED EFFICIENCY OF 78.6%.

Three air streams ensure effective ignition and lower emissions - delivering supreme performance in a family-sized package. Customise it with optional extras, or add a boiler and put the Consort 15 to work. The airflow controls are easy to use and offer adjustable heat levels, enabling you to warm up big or open-plan spaces with ease.



- GRATE OPTION
- DOUBLE DOOR
- GRATE OPTION
- SINGLE DOOR
- WOOD
- DOUBLE DOOR
- WOOD
- SINGLE DOOR

- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- BOILER OPTION
- WOOD OPTION AVAILABLE


HEAT OUTPUT 8kW TO 15kW

NOMINAL 11.9kW

ENERGY EFFICIENCY CLASS A

WRAP-AROUND BOILER

10 RADIATORS



NOMINAL OUTPUT BURNING WOOD
9.1kW to water 4.8kW to room

NOMINAL OUTPUT BURNING SMOKELESS FUEL
9.5kW to water 4.8kW to room

MAXIMUM OUTPUT
13kW (44,000BTU) to water 3kW to room

ENERGY EFFICIENCY CLASS A

CONSORT


double-sided single depth

PARKRAY TRADITIONAL RANGE

A focal point on both sides, perfect for open-plan living for both traditional and contemporary rooms.

A DOUBLE-SIDED STOVE IS A REVELATION FOR OPEN-PLAN SPACES AND A SINGLE DEPTH STOVE RADIATES HEAT MORE EFFECTIVELY THROUGH YOUR LIVING SPACE.

The Double-Sided Single Depth range features our classic Consort stoves: 4, 7, 9 and our largest yet, the Consort 15.



CONSORT *double-sided single depth*



CONSORT 4 SINGLE DEPTH

IF YOU ARE LOOKING FOR GREAT ECONOMY, A DOUBLE-SIDED CONSORT 4 MODEL IS A COMPACT STOVE THAT RADIATES HEAT MORE EFFECTIVELY THROUGH YOUR LIVING SPACE.

It's easy to install and even easier to use. The internal airwash helps to keep the glass clear and airflow controls on both sides enable you to operate the stove on either side.



• GRATE OPTION • WOOD

- 5" FLUE COLLAR
- HOT AIRWASH SYSTEM
- WOOD OPTION AVAILABLE

HEAT OUTPUT 4kW TO 6kW

NOMINAL 6kW

ENERGY EFFICIENCY CLASS A

CONSORT 7 SINGLE DEPTH

THE CONSORT 7 OFFERS A GREAT COMBINATION OF STYLE AND ECONOMY.

This double-sided stove is perfect for open fireplaces, where it provides a focal point on both sides. This variation on our renowned Consort 7 stove has a generous output of up to 8kW. This is a great option for an installation in any open-plan space.



• GRATE OPTION • DOUBLE DOOR • GRATE OPTION • SINGLE DOOR • WOOD • DOUBLE DOOR • WOOD • SINGLE DOOR

- HOT AIRWASH SYSTEM
- WOOD OPTION AVAILABLE

HEAT OUTPUT 5kW TO 8kW

NOMINAL 6.5kW

ENERGY EFFICIENCY CLASS A

CONSORT 9 SINGLE DEPTH

THE CONSORT 9 DOUBLE-SIDED STOVE IS THE ULTIMATE WAY TO WARM A LARGE SPACE AND BRING IT TO LIFE.

This option will warm your space quickly and effectively. Thanks to Tripleburn® technology, it reaches 79% efficiency - so it's a wise choice for the budget-conscious.



• GRATE OPTION • DOUBLE DOOR • GRATE OPTION • SINGLE DOOR • WOOD • DOUBLE DOOR • WOOD • SINGLE DOOR

- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- LARGE OUTPUT RANGE
- WOOD OPTION AVAILABLE

HEAT OUTPUT 6kW TO 11kW

NOMINAL 8.9kW

ENERGY EFFICIENCY CLASS A

CONSORT 15 SINGLE DEPTH

THIS LUXURIOUS CONSORT 15 MODEL CREATES A SERIOUSLY HEARTY OUTPUT.

Load it up and the Consort 15 Double-Sided Single Depth can be left to smoulder. Equipped with all our finest hot airwash and Tripleburn® technology, with heat outputs ranging from 8kW to 15kW, it can handle big open-plan spaces with ease.



• GRATE OPTION • DOUBLE DOOR • GRATE OPTION • SINGLE DOOR • WOOD • DOUBLE DOOR • WOOD • SINGLE DOOR

- HOT AIRWASH SYSTEM
- LARGE VIEWING WINDOW
- LARGE OUTPUT RANGE
- WOOD OPTION AVAILABLE

HEAT OUTPUT 8kW TO 15kW

NOMINAL 11.6kW

ENERGY EFFICIENCY CLASS A

CONSORT

double-sided double depth

PARKRAY TRADITIONAL RANGE



With large windows showing radiant flames on both sides, a Double-Sided Double Depth stove will be the main focus of your home.

MAKE A DOUBLE-SIDED DOUBLE DEPTH THE HEART OF YOUR HOME AND BRING LARGE SPACES TO LIFE.

The Double-Sided Double Depth Consort 9 can produce up to a staggering 18kW heat output - ideal for those who don't do anything by halves.



CONSORT *double-sided double depth*



CONSORT 4 DOUBLE DEPTH

A FAMILY FAVOURITE, THE CONSORT 4 DOUBLE-SIDED DOUBLE DEPTH STOVE ECONOMICALLY PROVIDES FOR ALL YOUR HEATING NEEDS, WHILST ITS REFINED LINES MAKE IT A PLEASURE TO LOOK AT.

With an increased output of almost 100% on the Double-Sided Single Depth model, the Consort 4 is powerful, compact and easy to control with the help of our airflow controls on both sides.



· GRATE OPTION · WOOD

HOT AIRWASH SYSTEM · 5" FLUE COLLAR
WOOD OPTION AVAILABLE ·

HEAT OUTPUT 6kW TO 11kW

NOMINAL 10.6kW

ENERGY EFFICIENCY CLASS **A**



CONSORT 7 DOUBLE DEPTH

A WELL BALANCED STOVE, THE CONSORT 7 DOUBLE-SIDED DOUBLE DEPTH MODEL IS BUILT TO HANDLE ALL SORTS OF ROOM SIZES AND HOUSE TYPES, WHILE MAINTAINING COMPOSED ELEGANCE.

A heat output of up to 13kW, large viewing window on both sides and our combination of style and economy means the Consort 7 Double-Sided Double Depth is perfect for large, open fireplaces.



· GRATE OPTION · GRATE OPTION · WOOD · WOOD
· DOUBLE DOOR · SINGLE DOOR · DOUBLE DOOR · SINGLE DOOR

HOT AIRWASH SYSTEM · WOOD OPTION AVAILABLE
LARGE OUTPUT RANGE ·

HEAT OUTPUT 8kW TO 13kW

NOMINAL 10.5kW

ENERGY EFFICIENCY CLASS **A**



CONSORT 9 DOUBLE DEPTH

RADIANT FLAMES ON BOTH SIDES OF THE CONSORT 9 BRING LARGE SPACES TO LIFE, WARMING THEM QUICKLY AND EFFECTIVELY.

The heat output can reach an impressive 18kW, whilst the stove continues to maintain enviable efficiency – perfect for the eco-conscious stove user.



· GRATE OPTION · GRATE OPTION · WOOD · WOOD
· DOUBLE DOOR · SINGLE DOOR · DOUBLE DOOR · SINGLE DOOR

HOT AIRWASH SYSTEM · LARGE OUTPUT RANGE
LARGE VIEWING WINDOW · WOOD OPTION AVAILABLE

HEAT OUTPUT 8kW TO 18kW

NOMINAL 11.4kW

ENERGY EFFICIENCY CLASS **A**



CHEVIN 5

inset

PARKRAY TRADITIONAL RANGE



WITH A 4.9kW NOMINAL OUTPUT, THE CHEVIN 5 INSET IS EASY TO INSTALL AND NEEDS NO EXTRA VENTILATION.

There is no doubt that this stove is one of our best performers, and is an excellent contender to replace a gas fire. The Chevin has been approved for Smoke Control Areas.



· STAINLESS STEEL HANDLE

· BLACK HANDLE


- SMOKE CONTROL EXEMPT
- NO AIR BRICK REQUIRED
- TRIPLEBURN® TECHNOLOGY
- HOT AIRWASH SYSTEM
- CONVECTION STOVE
- LARGE VIEWING WINDOW
- HANDLE OPTION
- 5" FLUE COLLAR

HEAT OUTPUT 3.5kW TO 5.5kW

NOMINAL 4.9kW

ENERGY EFFICIENCY CLASS A

CHEVIN 5 INSET / BLACK HANDLE



CHEVIN 20B

inset

PARKRAY TRADITIONAL RANGE



TO HELP WITH YOUR CENTRAL HEATING AND WATER DEMANDS, WE HAVE DEVELOPED AN INSET STOVE THAT INCORPORATES A BOILER.

Instead of a space-consuming boiler, a stunning inset fire drives your central heating and what's more comforting than real flames? With an impressive 10.4kW boiler and a cosy 5.1kW to your room, it's guaranteed to keep you snug all winter.



- STAINLESS STEEL HANDLE · SINGLE DOOR
- BLACK HANDLE · DOUBLE DOOR
- BLACK HANDLE · SINGLE DOOR
- STAINLESS STEEL HANDLE · DOUBLE DOOR

- HOT AIRWASH SYSTEM
- BOILER OPTION
- LARGE VIEWING WINDOW
- DIRECT AIR OPTION
- HANDLE OPTION

HEAT OUTPUT 5kW TO 6kW

NOMINAL 5.1kW

ENERGY EFFICIENCY CLASS A

WRAP-AROUND BOILER
10 RADIATORS



NOMINAL OUTPUT BURNING SMOKELESS FUEL
10.7kW to water 5.1kW to room

MAXIMUM OUTPUT
12kW (41,000BTU) to water 6kW to room

CHEVIN 20B INSET / DOUBLE DOOR / STAINLESS STEEL HANDLE

aspect *features*

| | ASPECT 4 COMPACT | ASPECT 4 | ASPECT 5 COMPACT | ASPECT 5 | ASPECT 6 |
|---|------------------------|------------------------|------------------------|------------------------|------------------------|
| Smoke Control Exempt | Y | Y | Y | Y | Y |
| Nominal heat output to room (kW) | 4.5 | 4.5 | 5.0 | 5.0 | 5.0 |
| Heat output range (kW) | 3-5 | 3.5-5.5 | 4-6 | 4-7 | 4-7.5 |
| Efficiency on wood (%) | 81 | 81 | 80 | 80 | 80 |
| CO emission (at 13% O ₂) (%) | 0.12 | 0.12 | 0.10 | 0.10 | 0.10 |
| Boiler option | NA | NA | NA | NA | NA |
| Ventilation (mm ²) | NA | NA | NA | NA | NA |
| Log lengths (mm) | 280 | 280 | 350 | 350 | 350 |
| Weight (kg) | 52 | 56 | 70 | 74 | 93 |
| Clearance distances to combustible materials (mm)* | Rear: 125 Side: 500 | Rear: 125 Side: 500 | Rear: 125 Side: 600 | Rear: 125 Side: 600 | Rear: 125 Side: 600 |
| Clearance distances to non-combustible materials (mm) | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 |

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES NA = NOT APPLICABLE

* Distances when installed with a twin walled flue (with the addition of a heat shield).

aspect *options*



PLINTH

You can choose to have your Aspect stove fitted on a log plinth, which raises it up off the floor and provides a handy place to store your wood. Stoves fitted on plinths can be installed on a 12mm hearth when freestanding.

| STOVE | HEIGHT | DEPTH | WIDTH |
|------------------|---------|-------|-------|
| ASPECT 4 COMPACT | 150/225 | 307 | 400 |
| ASPECT 4 | 150/225 | 357 | 400 |
| ASPECT 5 COMPACT | 150/225 | 312 | 494 |
| ASPECT 5 | 150/225 | 362 | 494 |
| ASPECT 6 | 225 | 405 | 557 |
| ASPECT 7 | 225 | 364 | 579 |
| ASPECT 8 | 225 | 405 | 617 |
| ASPECT 14 | 225 | 539 | 667 |
| ASPECT 80B | 225 | 491 | 764 |

* All dimensions are in mm.

BENCH

The stoves in the Aspect range have the option of being fitted on a bench. There is a choice of two lengths, 800mm and 1,195mm long. Both are at a height of 345mm and a depth of 415mm. Stoves fitted on benches can be installed on a 12mm hearth when freestanding.



DIRECT AIR

All of our Aspect stoves come with the option of a direct air kit. This will allow a room sealed installation.

FLUE DAMPER

Allows a greater controllability on the flue draw (if necessary). Please note that a taller flue collar is needed with a flue damper.

HEAT SHIELD

All stoves come complete with the heat shields attached as standard. They can be removed if not needed.



aspect *features*

| | ASPECT 7 | ASPECT 8 | ASPECT 14 | ASPECT 8B | ASPECT 14B | ASPECT 80B | ASPECT 4 DOUBLE-SIDED SINGLE DEPTH | ASPECT 4 DOUBLE-SIDED DOUBLE DEPTH |
|---|------------------------|------------------------|------------------------|------------------------|-------------------------|------------------------|--|--|
| Smoke Control Exempt | Y | Y | Y | N | N | N | Y | Y |
| Nominal heat output to room (kW) | 5.0 | 7.5 | 7.8 | 4.7 | 5.2 | 5.2 | 4.9 | 9.5 |
| Heat output range (kW) | 4-7.5 | 6-11 | 8-15 | 4.7-5.5 | 5.2-6.5 | 5.2-8 | 4-6 | 6-11 |
| Efficiency on wood (%) | 81 | 76 | 77 | 73 | 76 | 71.9 | 74.3 | 75 |
| CO emission (at 13% O ₂) (%) | 0.09 | 0.06 | 0.10 | 0.18 | 0.17 | 0.23 | 0.18 | 0.21 |
| Boiler option | NA | NA | NA | S | S | S | NA | NA |
| Ventilation (mm ²) | NA | 1375 | 1650 | 2585 | 3960 | 6325 | NA | 2475 |
| Log lengths (mm) | 350 | 350 | 350 | 270 | 320 | 350 | 280 | 280 |
| Weight (kg) | 86.3 | 110.2 | 129.9 | 119 | 152 | 182.6 | 85 | 116 |
| Clearance distances to combustible materials (mm)* | Rear: 125 Side: 500 | Rear: 100 Side: 375 | Rear: 100 Side: 525 | Rear: 175 Side: 200 | Rear: 175 Sides: 200 | Rear: 175 Side: 200 | Front: 900 Side: 700 | Front: 900 Side: 700 |
| Clearance distances to non-combustible materials (mm) | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Side: 50 | Side: 50 |

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES N = NO NA = NOT APPLICABLE S = STANDARD

* Distances when installed with a twin walled flue (with the addition of a heat shield).




CONSORT *features*

| | CONSORT 4 | CONSORT 5 COMPACT | CONSORT 5 | CONSORT 5 SLIMLINE | CONSORT 9 | CONSORT 9 SLIMLINE | CONSORT 15 |
|---|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|
| Smoke Control Exempt | Y | Y | Y | Y | NA | Y | NA |
| Nominal heat output (kW) | 4.7 | 4.7 | 4 | 4.4 | 9.1 | 4.9 | 11.9 |
| Heat output range (kW) | 3-5.5 | 3.5-5.5 | 3.5-6 | 3.5-6 | 6-11 | 4.5-8 | 8-15 |
| Efficiency on wood (%) | 72.8 | 76 | 78 | 74.1 | 78.9 | 72.4 | 78.6 |
| CO emission (at 13% O ₂) (%) | 0.27 | 0.3 | 0.44 | 0.32 | 0.35 | 0.25 | 0.18 |
| Double door option | NA | NA | NA | S | S | S | S |
| Single door option | S | S | S | O | O | O | O |
| Boiler option | NA | NA | NA | NA | Wrap-around | NA | Wrap-around |
| Ventilation (mm ²) | NA | NA | NA | NA | 2255 | NA | 4950 |
| Log lengths (mm) | 280 | 330 | 280 | 405 | 500 | 500 | 500 |
| Minimum hearth thickness required (mm) | Freestanding: 12* Recessed: 125 | Freestanding: 12* Recessed: 125 | Freestanding: 12* Recessed: 125 | Freestanding: 12* Recessed: 125 | Recessed: 125 | Freestanding: 12* Recessed: 125 | Recessed: 125 |
| Weight (kg) | 70 | 99 | 100 | 92 | 120 | 120 | 145 |
| Clearance distances to combustible materials (mm) | Rear: 650 Side: 400 | Rear: 750 Side: 350 | Rear: 650 Side: 400 | Rear: 650 Side: 400 | Rear: 1100 Side: 700 | Rear: 750 Side: 450 | Rear: 1100 Side: 650 |
| Clearance distances to non-combustible materials (mm) | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 50 | Rear: 50 Side: 150 |

* Grate Option Only

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES O = OPTION NA = NOT APPLICABLE S = STANDARD



STOVE

CANOPY LOW

CANOPY HIGH

| | | |
|--------------------|-----|-----|
| CONSORT 4 | 686 | NA |
| CONSORT 5 COMPACT | NA | NA |
| CONSORT 5 | 675 | 770 |
| CONSORT 5 SLIMLINE | 700 | 810 |
| CONSORT 5 GAS | NA | NA |
| CONSORT 9 | 765 | 870 |
| CONSORT 9 SLIMLINE | 772 | 921 |
| CONSORT 15 | 853 | 974 |

CONSORT *options*

CANOPY

Selected Consort stoves are available with a low or high canopy option. Contact your dealer for more details.

FLUE GATHER BOX

For rear flue installations with limited space.

FRONT EXTENSION

The grate option front extension enables you to place more fuel into your stove.

FLUE DAMPER

This allows a greater controllability on the flue draw (if necessary).

CONSORT DOUBLE-SIDED *features*

| | CONSORT 4 DS SINGLE DEPTH | CONSORT 7 DS SINGLE DEPTH | CONSORT 9 DS SINGLE DEPTH | CONSORT 15 DS SINGLE DEPTH | CONSORT 4 DS DOUBLE DEPTH | CONSORT 7 DS DOUBLE DEPTH | CONSORT 9 DS DOUBLE DEPTH |
|---|-----------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|
| Smoke Control Exempt | NA | NA | NA | NA | NA | NA | NA |
| Nominal heat output (kW) | 6 | 6.5 | 8.9 | 11.6 | 10.6 | 10.5 | 11.4 |
| Heat output range (kW) | 4-6 | 5-8 | 6-11 | 8-15 | 6-11 | 8-13 | 8-18 |
| Efficiency on wood (%) | 72.7 | 74.5 | 74.3 | 75.7 | 75.4 | 75.7 | 79 |
| CO emission (at 13% O ₂) (%) | 0.46 | 0.45 | 0.44 | 0.22 | 0.64 | 0.54 | 0.36 |
| Double door option | NA | S | S | S | NA | S | S |
| Single door option | S | O | O | O | S | O | O |
| Boiler option | NA | NA | NA | NA | NA | NA | NA |
| Ventilation (mm ²) | 225 | 825 | 2145 | 4565 | 2750 | 3025 | 3520 |
| Log lengths (mm) | 280 | 380 | 500 | 500 | 280 | 380 | 500 |
| Minimum hearth thickness required (mm) | Freestanding: 12 Recessed: 125 | Recessed: 125 | Recessed: 125 | Recessed: 125 | Recessed: 125 | Recessed: 125 | Recessed: 125 |
| Weight (kg) | 90 | 145 | 140 | 165 | 126 | 163 | 230 |
| Clearance distances to combustible materials (mm) | Side: 150 | Side: 900 | Side: 500 | Side: 700 | Side: 900 | Side: 900 | Side: 400 |
| Clearance distances to non-combustible materials (mm) | Side: 50 | Side: 50 | Side: 50 | Side: 50 | Side: 50 | Side: 50 | Side: 50 |

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES O = OPTION NA = NOT APPLICABLE S = STANDARD

CHEVIN *features*

| | CHEVIN 5 INSET | CHEVIN 20DB INSET |
|---|---|---|
| Smoke Control Exempt | Y | NA |
| Nominal heat output (kW) | 4.9 | 5.1 |
| Heat output range (kW) | 3.5-5.5 | 5-6 |
| Efficiency (%) | 77.1 | 69.9 |
| CO emission (at 13% O ₂) (%) | 0.28 | 0.28 |
| Double door option | NA | O |
| Single door option | S | S |
| Boiler option | NA | S |
| Ventilation (mm ²) | NA | 550 |
| Minimum hearth thickness required (mm) | Recessed: 125 | Recessed: 125 |
| Weight (kg) | 117 | 128 |
| Clearance distances to combustible materials (mm) | Top of fire surround 200 Side of fire surround 150 | Top of fire surround 275 Side of fire surround 200 |

CONSORT DS / DD *options*

FRONT EXTENSION

This front extension enables you to place more fuel into your stove (grate option only).

FLUE DAMPER

This allows a greater controllability on the flue draw (if necessary).

CHEVIN *options*

HANDLE

The Inset stoves are available with an option of black or stainless steel handles, with matching retainer bars.

DIRECT AIR

The Chevin 20DB Inset is available with an optional Direct Air Kit. This will allow a room sealed installation.

PARKRAY GAS *features*

| | ASPECT 7 GAS | CONSORT 5 GAS | CONSORT 7 GAS |
|--|---|---|---|
| Heat Output Range (kW) | | | |
| LPG | 2.5 - 4.5 | 2.21 - 3.25 | 2.5 - 4.5 |
| Natural gas (NG) | 2.8 - 4.4 | 2.24 - 3.01 | 2.8 - 4.4 |
| ----- | | | |
| Remote control | S | S | S |
| ----- | | | |
| Heat input (kW) | | | |
| LPG | 6.5 | 4.7 | 6.5 |
| NG | 6.5 | 4.7 | 6.5 |
| ----- | | | |
| Heat output (kW) | | | |
| LPG | 4.9 | 3.5 | 4.9 |
| NG | 4.9 | 3.3 | 4.9 |
| ----- | | | |
| Efficiency (%) | 78.1 | 71 | 75 |
| ----- | | | |
| Single door option | S | S | 0 |
| ----- | | | |
| Double door option | NA | NA | 0 |
| ----- | | | |
| Clearance distances to combustible materials (mm) | Rear wall: 100 Side: 100 Shelf/top: 300 | Rear wall: 100 Side: 150 Shelf/top: 250 | Rear wall: 100 Side: 100 Shelf/top: 300 |
| ----- | | | |
| Clearance distances to non-combustible materials (mm) | Rear wall: 50 Side: 50 Shelf/top: 200 | Rear wall: 50 Side: 50 Shelf/top: 200 | Rear wall: 50 Side: 50 Shelf/top: 200 |
| ----- | | | |
| Minimum distance for hearth to extend in front of stove (mm) | 50 | 50 | 50 |

CONTACT YOUR DEALER FOR INSTALLATION ADVICE NA = NOT APPLICABLE S = STANDARD 0 = OPTION

PARKRAY GAS *options*

GAS TYPE

With all our Parkray gas stoves, you have a choice between natural gas (I2H) or LPG (I3P).

HANDLE

The Aspect 7G and the Consort 5G comes with a choice of either a black chrome or stainless-steel handle. The Consort 7G is available with a traditional black handle.

FUEL EFFECT

4kW gas stoves in the Parkray range are available with a realistic log effect kit.

With the 6kW stoves, you can choose between a log or coal effect, whatever suits your tastes best.

CONTROL

Each Parkray gas stove comes available with a hand-held digital display remote control. This handset can switch the stove on and off, and comes with seven flame picture settings. In the case of a misplaced remote control, the manual control allows continued operation of the stove. Plus, a handy pager system will audibly locate your remote device.



PARKRAY TRIPLEBURN® *technology*

PARKRAY STOVES INCORPORATE TRIPLEBURN® TECHNOLOGY. THIS MEANS THAT THE STOVES ARE MORE ECO-FRIENDLY AND EFFICIENT THAN CONVENTIONAL STOVES, CONTRIBUTING TO A CLEANER ENVIRONMENT.

HOT AIRWASH

THE AIRWASH ENSURES THE GLASS IS KEPT CLEAN

The airwash is achieved by air being drawn into the top of the stove and heated in the central air chamber, before being directed down behind the glass door, creating a screen between the fire and the glass. Smoke or combustion particles do not come into contact with the glass, leaving it clear.

WOODBURNING

OPTIMUM WOODBURNING CONDITIONS

For efficient woodburning, the hot airwash is directed down the stove door and into the heart of the fire. This ensures complete combustion, which helps to keep the chimney clean. All stoves need a deep bed of ash to build up the optimum conditions for burning wood.

GRATE KIT WITH ASHPAN

OPTIMUM BURNING CONDITIONS

When burning smokeless fuel and for easy lighting of the Consort stoves, the grate can be changed to the open position by a push of the handle. Air can then be directed under the open grate and into the heart of the fire – the optimum conditions for burning. Aspect stoves with a static grate ignite with a single easy air control.

FAQs


HOW MUCH SPACE WILL MY STOVE NEED?

With all our freestanding units, it is safe to install them with a clearance of 2" (50mm) either side of the stove to non-combustible material. However, for optimum performance and heat output, we recommend a clearance of 6" (150mm). Behind the stove, there should be a minimum clearance of 2" (50mm), however we recommend 4" (100mm) to enable access to the tertiary air inlet.

For all our units, the hearth should extend 300mm in front of the appliance (from the body of the stove).

WHAT IS A NOMINAL HEAT OUTPUT?

The nominal output is the output achieved under specific test conditions by the independent test laboratory. The stoves tend to be operated with the air controls set at less than maximum and with relatively modest loads. We recognise that end users are unlikely to operate the stoves in this way and therefore we carry out internal testing to suggest a reasonable heat output range that the customer should achieve without over-firing the unit.



PARKRAY TRIPLEBURN®


technology




ASPECT AIRFLOW



CONSORT AIRFLOW



INSET AIRFLOW



TRIPLEBURN® TECHNOLOGY

The three streams of air cause an incredibly efficient burn, which results in an increased heat output, less smoke and a cleaner environment. See diagrams above.

EXCEPTIONALLY EFFICIENT

Due to Parkray Tripleburn® technology, all stoves in the Parkray range burn exceptionally efficiently and cleanly.

FROM WOOD TO MULTIFUEL

The integral grate in the Consort range can be changed from wood setting to multifuel with the cold-handled riddling tool.

DUST FREE, SAFE AND EASY RIDDLING

By simply moving the riddling tool backwards and forwards, the stove riddles safely with a minimum of effort. This is undertaken with the doors closed and is completely dust free. Only available on the Consort range.

INTERCHANGEABLE FLUE OUTLETS

All the single-sided freestanding stoves in the Parkray range can be flued from either the top or the rear of the stove.

EASY ACCESS FOR CHIMNEY SWEEPING

The stoves feature a removable throat plate, giving full and easy access for sweeping the chimney.

INTERNAL LINING SYSTEM

The internal lining system maximises the firebox temperature, ensuring complete combustion.

COLD-HANDLED RIDDLING TOOL


The cold-handled riddling tool can be used for opening and closing the doors, riddling the grate, grate adjustment and easy removal of the ash pan. Only available on the Consort range.

THERMOSTAT

An optional thermostat is available on central heating models with wrap-around boilers.





PARKRAY GAS RANGE / ASPECT AND CONSORT




| DIMENSIONS | H | W | FD | TF | RF | D |
|---------------|-------|-------|-------|-------|-------|-------|
| ASPECT 7 GAS | 550mm | 579mm | 127mm | 144mm | 423mm | 410mm |
| CONSORT 5 GAS | 551mm | 395mm | 127mm | 143mm | 456mm | 390mm |
| CONSORT 7 GAS | 595mm | 625mm | 127mm | 135mm | 491mm | 425mm |






| DIMENSIONS | H | W | ØFD | TF | RF | AC | D1 | D2 | TD |
|------------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
| ASPECT 4 | 515mm | 400mm | 127mm | 110mm | 416mm | 17.5mm | 327mm | 410mm | 360mm |
| ASPECT 4 COMPACT | 515mm | 400mm | 127mm | 110mm | 416mm | 17.5mm | 277mm | 379mm | 310mm |
| ASPECT 5 | 590mm | 494mm | 127mm | 110mm | 491mm | 17.5mm | 327mm | 410mm | 364mm |
| ASPECT 5 COMPACT | 590mm | 494mm | 127mm | 110mm | 491mm | 17.5mm | 277mm | 358mm | 314mm |
| ASPECT 6 | 623mm | 557mm | 127mm | 143mm | 523mm | 2mm | 343mm | 422mm | 420mm |
| ASPECT 7 | 550mm | 579mm | 127mm | 110mm | 451mm | 17.5mm | 327mm | 410mm | 367mm |
| ASPECT 8 | 648mm | 617mm | 127mm | 128mm | 524mm | 7mm | 442mm | 472mm | 433mm |
| ASPECT 14 | 658mm | 667mm | 127mm | 153mm | 559mm | NA | 468mm | 555mm | 540mm |

| DIMENSIONS | H | W | ØFD | TF | RF | D | BP1 | BP2 | BP3 |
|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| CONSORT 4 | 552mm | 396mm | 127mm | 90mm | 458mm | 335mm | NA | NA | NA |
| CONSORT 5 COMPACT | 551mm | 460mm | 127mm | 90mm | 458mm | 365mm | NA | NA | NA |
| CONSORT 5 | 551mm | 460mm | 127mm | 90mm | 458mm | 400mm | NA | NA | NA |
| CONSORT 5 SLIMLINE | 563mm | 575mm | 127mm | 95mm | 465mm | 350mm | NA | NA | NA |
| CONSORT 9 | 634mm | 635mm | 152mm | 116mm | 524mm | 434mm | NA | NA | NA |
| CONSORT 9 BOILER | 634mm | 635mm | 152mm | 116mm | 524mm | 434mm | 480mm | 280mm | 329mm |
| CONSORT 9 SLIMLINE | 630mm | 635mm | 127mm | 102mm | 522mm | 370mm | NA | NA | NA |
| CONSORT 15 | 658mm | 730mm | 152mm | 115mm | 548mm | 115mm | NA | NA | NA |
| CONSORT 15 BOILER | 658mm | 730mm | 152mm | 115mm | 548mm | 115mm | 570mm | 300mm | 332mm |



| DIMENSIONS | H | W | TP | D | 1 | 2 | 3 | 4 |
|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| CHEVIN 5 INSET | 588mm | 619mm | 155mm | 369mm | 550mm | 214mm | 258mm | 384mm |
| CHEVIN 20DB INSET | 588mm | 639mm | NA | 514mm | NA | NA | 384mm | NA |




| DIMENSIONS | H | W | FD | D |
|--------------------------------------|-------|-------|-------|-------|
| CONSORT 4 DOUBLE SIDED SINGLE DEPTH | 552mm | 396mm | 127mm | 448mm |
| CONSORT 7 DOUBLE SIDED SINGLE DEPTH | 563mm | 570mm | 152mm | 535mm |
| CONSORT 9 DOUBLE SIDED SINGLE DEPTH | 632mm | 650mm | 152mm | 560mm |
| CONSORT 15 DOUBLE SIDED SINGLE DEPTH | 647mm | 720mm | 152mm | 660mm |
| CONSORT 4 DOUBLE SIDED DOUBLE DEPTH | 552mm | 396mm | 127mm | 670mm |
| CONSORT 7 DOUBLE SIDED DOUBLE DEPTH | 566mm | 604mm | 152mm | 800mm |
| CONSORT 9 DOUBLE SIDED DOUBLE DEPTH | 632mm | 690mm | 152mm | 850mm |

FIREPLACES

Harmonious ambience to enjoy time after time

LACUNA FIREPLACE


The Lacuna Fireplace is the perfect addition to any home. With its simple yet striking design, the Lacuna will complement a range of interiors, Contemporary or Traditional. Made from Aegean Limestone, its clean-cut lines complement the striking black granite hearth.



Relax and let time stop

HOUREGLASS FIREPLACE

The simplistic details of the Hourglass form the perfect style statement in any property. This stunning fireplace with clean lines and elegant carvings combines Aegean Limestone with a black granite hearth, making this a versatile choice for any home.





**BRITISH
EXCELLENCE**

PARKRAY 

8 EMPEROR WAY EXETER DEVON EX1 3QS

INFO@HUNTERSTOVES.CO.UK WWW.HUNTERSTOVES.CO.UK

